



imes-icore[®]
Dental & Medical Solutions



CORiTEC[®] one | one⁺

The CORiTEC[®] one series

WHAT ARE THE DIFFERENCES?

	CORiTEC one	CORiTEC one ⁺
Number of axes	4	5
Number of tool positions	6	10
Spindle power/rpm	860 watt / 100.000 rpm	
Quick-Clamping-System (manuel)		✓
98 mm blank processing	-	✓
Integrated coolant tank		✓
C-Clamp processing	-	Optional
98 mm blank holder	-	Included
Universal fixture for glass ceramic and premilled abutments	Included	Included
6-fold glass ceramic holder (for 98 mm blank holder)	-	Included



VERSATILE IN
all cases

imes-icore[®] chairside/practice lab

WORKFLOW AND COMPONENTS

IOS

CORITEC
i^{one} scan

GC Aadvia IOS 200

Align iTero

Carestream CS 3600

Medit i500

Shining 3D Aoralscan

Dentsply Sirona

Primescan

... and other scanners

CAD

exocad
ChairsideCAD

CAM

iCAM *one*

iCAM *one*⁺

CORITEC[®]
one



CORITEC[®]
one⁺



Materials

Pre-sintered ZrO₂

Full dense sintered ZrO₂

Premilled Ti-Abutment

Wax

Premilled

CoCr-Abutment

Glass ceramic

Lithium disilicate

Lithium silicate

Hybrid ceramic

Composite

PMMA / PEEK

Tools

Milling and
grinding tools



Result

Crown/Bridge
(up to 3 units)



Inlay, Onlay,
Veneer



Hybrid
Abutment



Abutment



Additional for CORITEC *one*⁺

Splint



Drilling
template



Full Denture



Bridge larger
3 units



Model casting



Model



Bridge



Telescopic
technology





CORiTEC[®] one

THE INTELLIGENT PRACTICE LAB SOLUTION

The new CORiTEC one[®] machine is a perfect choice for processing all common designed CAD/CAM blocks. With the new extremely stable axis kinematics, the machine is also capable to mill prefabricated abutments.

The high-quality cast aluminum construction ensures maximum stability with a minimum footprint. An integrated powerful PC along with 10'1" HD touch screen display supports a comfortable and ergonomic operation. A single block holder with six tool positions and smart tool replacement function guarantee an economical, safe and fast machining process with the highest quality. CORiTEC one is ideally suited every dental office, practice laboratory and clinic in combination with all open scanners. As a supplemental system for the specialized processing of glass ceramic, zirconia, composite and premilled abutment the CORiTEC one leaves nothing to be desired either for clinics, laboratories or milling centers.



approx. 16.6 inch / 42.2 cm




- WET
- DRY
- 4 AX
- 3 mm
6x
- Temperature control
- Touch screen
- USB
- Person icon
- Disc icon

CORiTEC[®] one

HIGHLIGHTS

- Novel closed mono-block cast body for stability and precision
- Self-sufficient operation without external required compressed air
- Optimized for the integrated CAD/CAM workflow with exocad
- Very fast grinding and milling process
- Short amortization period
- High precision due to integrated temperature compensation
- Machining of all common material blocks and prefabricated abutments
- Minimal footprint
- No external PC required
- Auto-calibration
- Automatic cleaning function
- Wet and dry machining option





PMMA	WAX	1-fold holder (blocks/premilled abutments) 	Crown, Bridge	Inlay, Onlay Veneer	Bridge larger 3 units	Splint
Zr Pre-sintered	Zr Full dense sintered		Full Denture	Model	Drilling template	Model casting
PEEK	COMPOSITE		Bridge	Telescopic technology	Abutment	Hybrid Abutment
Glass ceramics	SINT					
Premilled CoCr-Abutment	Premilled Ti-Abutment					

CORiTEC® one+

THE EXTENDED CHAIRSIDE MILLING SYSTEM

The CORiTEC one+ is the high-end model in the chairside area. Due to the 5-axis simultaneous technology, the C-Clamp holder and the blank holder can be integrated in addition to the single universal holder. This generates new application possibilities and more flexibility for creating the expected tooth restoration. The compact and stable basic design of the machine enables precise work in block and blank shapes. Look and see for yourself and be convinced about the functionality and performance of CORiTEC one+, which exceeds all expectations of the dentist.



- WET
- DRY
- 5 AX
- 3 mm
10x
- Temperature control icon
- Touchscreen icon
- Control panel icon
- Operator icon
- Tray icon

ERGONOMIC HANDLING
Simple graphical touchscreen operation

EASY CLEANING
Fully coated enclosed wet cell

HALF-OPEN BLANK HOLDER "C-CLAMP" (OPTIONAL)

POWERFUL PERFORMANCE
High end spindle for milling and grinding work up to 100.000 rpm

INTEGRATED TEMPERATURE COMPENSATION

INTEGRATED WATER TANK AND FILTRATION



CORiTEC[®] one+

HIGHLIGHTS

- Novel, closed mono-block cast body for highest stability and precision
- No external PC required
- Half-open blank holder "C-Clamp" (optional)
- High precision due to integrated temperature compensation
- Self-sufficient operation without external required compressed air
- Short amortization period
- Minimal footprint
- Auto-calibration
- Automated cleaning function
- Wet and dry processing option

PMMA	WAX	1-fold holder (blocks/premilled Abutments)	Standard	Dentures	C-Clamp	Crown, Bridge	Inlay, Onlay Veneer	Bridge larger 3 units	Splint
Zr-Pre sintered	Zr-full dense sintered								
PEEK	COMPOSITE	Block	Premilled Abutment	Quick-Clamping-System (manuel)		Full Denture	Model	Drilling template	Model casting
Glass ceramics	SINT								
Premilled CoCr-Abutment	Premilled Ti-Abutment					Bridge	Telescopic technology	Abutment	Hybrid Abutment

MAX PERFORMANCE in grinding and milling



Applications & holders

GRINDING BLOCK MATERIALS

- Production of all materials in milling/grinding
- Adapter also suitable for blocks of nano-composite



PREFABRICATED ABUTMENTS

- Integrated systems: DESS, nt-trading, Medentika, zfx, Zimmer Biomet
- 360 degree processing feasibility
- Short set-up time due to multi-adapter



BIOHPP ELEGANCE PREFABS

- Individual prefabricated abutment on PEEK basis
- BioHPP for permanent dentures, free of metal, oxide and monomer
- Homogeneous combination of titanium and BioHPP



THERAPEUTIC SPLINTS

- Bite splints, bleaching splints
- Snoring splints, aligners
- Simple and high-quality implementation in CAD/CAM processes



HALF-OPEN BLANK HOLDER (C-CLAMP)

- Enables 5-axis machining up to 90 degrees axis adjustment
- Extends the technical possibilities of your milling machine



MILLING OF MODEL CASTS

- Production in burnout materials (PEEK)
- Allergy-free and lightweight model casting when using PEEK
- Cost-efficient



Tools

Glass ceramic	Feldspar	Lithium disilicate	Lithium silicate	Hybrid ceramics	Composite	Full dense sintered zirconia
T21 - 2.5 3.0 mm radius grinding tool (diamond)		T22 - 1.0 3.0 mm radius grinding tool (diamond)			T23 - 0.6 3.0 mm radius grinding tool (conical, diamond)	
Art.-No. 530005 2503		Art.-No. 530005 1003			Art.-No. 526005 0603	

Premilled Abutment	CoCr		
T7 - 2.0 3.0 mm radius milling tool (l = 12 mm)		T8 - 1.5 3.0 mm radius milling tool (l = 12 mm), universal	T9 - 1.0 3.0 mm radius milling tool (l = 9 mm)
Art.-No. 530029 2003		Art.-No. 530029 1503	Art.-No. 530029 1003


PMMA	Wax		
T11 - 2.5 3.0 mm radius milling tool (single blade, slide coated)		T12 - 1.0 3.0 mm radius milling tool (single blade, slide coated)	T15 - 0.6 3.0 mm radius milling tool (conical)
Art.-No. 530004 2503		Art.-No. 530004 1003	Art.-No. 530016 0603

Premilled Abutment	Titanium		
T2 - 2.0 3.0 mm radius milling tool (l = 12 mm)		T3 - 1.5 3.0 mm radius milling tool (l = 12 mm), universal	T4 - 1.0 3.0 mm radius milling tool (l = 9 mm)
Art.-No. 530029 2003		Art.-No. 530029 1503	Art.-No. 530029 1003

Pre-sintered zirconia			
T13 - 2.5 3.0 mm radius milling tool (diamond coated)	T14 - 1.0 3.0 mm radius milling tool	T15 - 0.6 3.0 mm radius milling tool (conical)	
Art.-No. 530013 2503	Art.-No. 530013 1003	Art.-No. 530016 0603	



ChairsideCAD software



With the help of exocad ChairsideCAD, crowns, inlays, onlays, veneers and small bridges can be designed and manufactured directly at the treatment center in a very innovative and fast workflow. Using the integrated In-CAD Nesting module, the designed jobs can be placed directly in the block for calculating and milling by the machine.

Add-on modules

MANY EXTENDED POSSIBILITIES

TrueSmile module

Realistic visualization of the dental restorations

Auto articulator module

Simulation of jaw movements for precise dynamic occlusion

Provisional module

Design of temporary egg shells based on preoperative scans

In-CAD nesting module

Positioning of restorations in milling blanks

Smile creator

Predictable planning and preview of esthetic restorations

Implant module

Design of abutments and directly screw-retained crowns and bridges

Your benefits

Increase patient satisfaction and improve efficiency

ChairsideCAD allows you to perform restorative dental procedures during a single visit dentistry.

Create esthetic and functional restorations and enjoy usability

ChairsideCAD is easy to use and guides you step by step through the process. Therefore, No extensive training is necessary.

Effortless collaboration with partners

ChairsideCAD facilitates communication with dental laboratories and production centers for better and more predictable results.

Process an unlimited number of cases

ChairsideCAD has no hidden costs or click charges.

Benefit from our proven software platform

exocad software has been an integral part of dental laboratories for 10 years.

Maintain your flexibility

ChairsideCAD supports virtually any modification you make to your workflow, equipment or services.



Expand your range of services

ChairsideCAD can be extended with various add-on modules according to your desires.

imes-icore Chairside Nesting+

SMART HIGH END SOLUTION


Experience multifunctional possibilities with 5-axis machining. The revolutionary Chairside Nesting+ allows the processing of indications without limitations due to the automated data transfer and the intelligent blank management. This makes workflows a secondary matter and puts the work on the patient in the focus.



Auto-calibration

FAST, PRECISE, COST-EFFICIENT

Auto-calibration allows both dentist and dental technician a quick and easy handling to ensure lasting precision without compromise.



CORiTEC® SmartControl™

SMART CONTROL OF MACHINE SOFTWARE


SmartControl™: one touch ahead!

The newly developed control software SmartControl™ enables absolutely intuitive operation of our milling machines. From selecting the job to milling or querying the machine status; the self-explanatory and optimized handling makes it possible to start operating the machine in the shortest possible time. Starting a milling process requires only two clicks – you benefit from the smart time savings for your workflow!


FEATURES

- Modern design and simple touch operation
- Intelligent selection of milling jobs
- Easy tool and material loading
- Auto-calibration of the machine
- Wizard guided cleaning and maintenance
- Connection to the Dental Smart Market (DSM)
- Multilingual program interface
- Automatic update function

Optimized for touchscreen operation



Automated transfer of information from the CAM software



Ideal tool management



Intraoral scanners

COMPATIBLE WITH **exocad**


To achieve a fully integrated workflow, the new CORTEC *one* machine system can be combined with all open intraoral scanners.

Producer	Scanner model
imes-icore	CORTEC <i>one</i> scan
GC	Aadvia IOS 200
Align	iTero
Carestream	CS 3600 / CS 3700
Medit	i500/i700
Shining 3D	Aoralscan
Dentsply Sirona	Primescan



CORiTEC® *one* scan

AN EXCELLENT CHOICE FOR OUTSTANDING RESULTS – THE CORTEC *one* scan!



CORTEC *one* scan is a perfect upgrade for digital dentistry. A completely open system that allows you to work in your digital workflow. Regardless of how you want to process the work, CORTEC *one* scan guarantees an efficient digital chairside workflow for your practice lab as well as in cooperation with your preferred partners. User-friendly, intuitive, small, perfectly connected to exocad Chairside CAD and our two chairside milling machines CORTEC *one* and CORTEC *one*†.

Suction unit

iVAC silent

The unit is equipped with a teflon filter cartridge, automatic filter cleaning and a dust drawer. With the suction power of 160m³/hr the iVAC silent is perfectly suited for your CORTEC *one* and *one*†. The unit can be stored on the optional machine table.

	iVAC silent
Airflow	160 m ³ /hr
Power	490 W
Filter system	Teflon filter cartridge, automatic cleaning feature
Filter volume	8 liters/30.28 gpm (dust drawer)
Width x depth x height	9.6 x 19.6 x 17.3 inch / 245 x 500 x 440 mm
Supply voltage	230 V
Special features	Suitable for machine tables T0, T1 and T2, quiet running, very compact, self-cleaning by vibration

Machine table

Machine table T0



The T0 offers stability and appealing optics. Steady castors guarantee the secure mobility of your machine. The dimensions of 422 x 540 x 900 mm / 16.6 x 21.3 x 35.4 inch (W x D x H) provide sufficient utility space. Focusing on space-saving the T0 is equipped with drawers, cable bushing and storage room for the respective suction unit.



wet milling

...IN THE
CHAIRSIDE AREA

Both systems can be easily combined with the intraoral scanner (i-one Scan) from imes-icore. The perfect combination of the workflow with the exocad software guarantees the best user-friendly, precise and optimized systems for the chairside area.

dry milling


UNSURPASSED
FLEXIBILITY...

Both CORTEC *one*, as well as *one+* offer an unsurpassed range of indications with the possibility of wet and dry processing. Regardless of the chosen method, the stable core of the system offers the highest quality restoration.




Dimensions

CORiTEC® one | one+



Machine table T0



In numbers

Mechanics/electronics	one®	one+
Number of axes / operation type	4 axes simultaneous processing	5 axes simultaneous processing
Angle of attack	± 180°	B-axis 130°
Angle of rotation	A-axis 360°	A-axis 360°
Spindle	High-frequency spindle	High-frequency spindle
Maximum speed / spindle power	100.000 rpm 860 watt	100.000 rpm 860 watt
Tools	Milling and grinding tools with 3 mm tool shaft	Milling and grinding tools with 3 mm tool shaft
Tool changer	6-fold	10-fold
Tool length control	≤ 0.002 mm precision	≤ 0.002 mm precision
Integrated PC	Windows based	Windows based
Display	Integrated 10"1" touchscreen	Integrated 10"1" touchscreen
Illumination	Dynamic LED illumination	Dynamic LED illumination
Software	SmartControl™ integrated CNC software	SmartControl™ integrated CNC software
Air pressure	No external air pressure needed	No external air pressure needed
Cooling liquid	3 liter/11.36 gpm integrated	3 liter/11.36 gpm integrated
Connecting requirements		
Weight	77 kg / 169.8 lbs	77 kg / 169.8 lbs
Width x depth x height	16.6 x 21.9 x 25.4 inch / 422 x 556 x 644 mm	16.6 x 21.9 x 25.4 inch / 422 x 556 x 644 mm
Line voltage/frequency/maximum power	100 V - 230 V/50/60 Hz/500 watt	100 V - 240 V/50/60 Hz/500 watt

Sales and support partner worldwide



Represented for you in over 100 countries.

imes-icore® GmbH has been a leading manufacturer and technology partner since 2003 in the field of dental CAD/CAM systems and solutions.

With its unique range of dental milling and grinding systems imes-icore® offers a perfect selection for all individual requirements of dental laboratories, milling centres and dental practices of all sizes.

Our Open-System product philosophy makes it possible to easily integrate our milling machines into your existing workflow and to integrate them with your open scanners and your CAD/CAM software. We are open for your material selection.

imes-icore® GmbH

Fon +49 (0) 66 72/898 228

Fax +49 (0) 66 72/898 222

dental@imes-icore.com